ELSEVIER

Physica C 279 (1997) 283–285

PHYSICA C

Author Index to Volume 279

Acha, C., see Urba, L., **279**, 95
Akimoto, J., K. Tokiwa, A. Iyo, H. Ihara, H. Hayakawa, Y. Gotoh and Y. Oosawa, Crystal chemistry of $CuBa_2Ca_{n-1}Cu_nO_y$ ($n = 4, 5, 6$) superconductors, **279**, 181
Aksu, E., see Gencer, A., **279**, 165
Antipov, E.V., see Lokshin, K.A., **279**, 11
Asaoka, H., Y. Kazumata, H. Takei and K. Noda, Influence of growth condition on magnetic flux pinning in $YBa_2Cu_3O_x$ single crystals, **279**, 246
Ateş, A., see Gencer, A., **279**, 165
Awan, S.A., see Friend, C.M., **279**, 145

Beales, T.P., see Friend, C.M., **279**, 145
Bekeris, V., see Urba, L., **279**, 95
Bender, H., see Lin, C.T., **279**, 282
Bruijn, M.P., see le Grand, J.B., **279**, 85

Cai, C.B., see Ren, C., **279**, 258
Cardona, M., see Iliev, M.N., **279**, 63
Celebi, S., see Gencer, A., **279**, 165
Chaddah, P., see Roy, S.B., **279**, 70
Chen, Q., see Li, X.-G., **279**, 241
Chen, Q.H., see Ji, Z.M., **279**, 233
Chen, W.M., see Ji, Z.M., **279**, 233
Chmaissem, O., J.D. Jorgensen, D.G. Hinks, B.G. Storey, B. Dabrowski, H. Zhang and L.D. Marks, Structure and superconductivity in Cr-substituted $HgBa_2CuO_{4+\delta}$, **279**, 1
Cook, L.P., see Wong-Ng, W., **279**, 31
Crotti, G., see Gömöry, F., **279**, 39

Dabrowski, B., see Chmaissem, O., **279**, 1
De Korte, P.A.J., see le Grand, J.B., **279**, 85
Ding, S.Y., see Ren, C., **279**, 258
Dolgov, O.V., H.J. Kaufmann, E.K.H. Salje and Y. Yagil, Evidence for strong electron–phonon coupling and polarons in the optical response of $La_{2-x}Sr_xCuO_4$, **279**, 113
Dou, S.X., see Li, S., **279**, 265

Evetts, J.E., see Yan, Y., **279**, 277

Feng, X., see Lu, J., **279**, 209
Freyhardt, H.C., see Leenders, A., **279**, 173
Freyhardt, H.C., see Pan, V.M., **279**, 18
Friemel, S. and C. Pasquier, Flux pinning in the vortex liquid state of κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$, **279**, 203
Friend, C.M., S.A. Awan, L. Le Lay, S. Sali and T.P. Beales, Explaining the self-field AC loss behaviour of silver-clad (Bi,Pb)-2223 tapes for power engineering applications, **279**, 145
Fu, Y.X., see Ren, C., **279**, 258
Fujii, T., see Fujiwara, M., **279**, 219
Fujiwara, M., M. Nakanishi, Y. Kusano, T. Fujii, J. Takada, Y. Takeda and Y. Ikeda, Electrochemical lithium intercalation into the Bi-2212 phase, **279**, 219

Gajic, R., see Iliev, M.N., **279**, 63
Gao, W., see Li, S., **279**, 265
Ge, Y., see Ren, C., **279**, 258
Geerk, J., see Krupke, R., **279**, 153
Gencer, A., A. Ateş, E. Aksu, S. Nezir, S. Celebi and E. Yanmaz, Microstructural and physical properties of $YBa_2Cu_3O_{7-\delta}$ superconductors prepared by the flame-quench-melt-growth (FQMG) method, **279**, 165
Geng, J.F., see Ji, Z.M., **279**, 233
Gherardi, L., see Gömöry, F., **279**, 39
Gmelin, E., see Lin, C.T., **279**, 282
Gömöry, F., L. Gherardi, R. Mele, D. Morin and G. Crotti, Critical state and AC losses in multifilamentary BiSrCaCuO-2223/Ag tapes studied by transport and magnetic measurements, **279**, 39
Gotoh, Y., see Akimoto, J., **279**, 181
Greenwood, W., see Wong-Ng, W., **279**, 31
Gross, R., see le Grand, J.B., **279**, 85

Habermeier, H.-U., see Iliev, M.N., **279**, 63
Hadjiev, V.G., see Iliev, M.N., **279**, 63
Hasegawa, M., Y. Matsushita and H. Takei, Erratum to "Local structural changes in $Tl_2Ba_2Ca_2Cu_3O_{10}$ single crystal between 90 K and 290 K" [Physica C 267 (1996) 31–44], **279**, 280
Hayakawa, H., see Akimoto, J., **279**, 181
Hinks, D.G., see Chmaissem, O., **279**, 1
Hiraga, K., see Muraoka, Y., **279**, 279
Honjo, S., see Sugimoto, M., **279**, 225
Hu, Q.Y., see Li, S., **279**, 265
Huebener, R.P., see le Grand, J.B., **279**, 85

Ihara, H., see Akimoto, J., **279**, 181
Ikeda, Y., see Fujiwara, M., **279**, 219

Iliev, M.N., H.-U. Habermeier, M. Cardona, V.G. Hadjiev and R. Gajic, Transformations of the local structure of $YBa_2Cu_3O_{7-\delta}$ due to laser annealing, **279**, 63
Ishii, H., see Sugimoto, M., **279**, 225
Itskevich, E.S., see Lokshin, K.A., **279**, 11
Iwata, Y., see Sugimoto, M., **279**, 225
Iyo, A., see Akimoto, J., **279**, 181

Ji, Z.M., J.F. Geng, W.M. Chen, H.X. Yu, A.M. Sun, Q.H. Chen, S.Z. Yang and X. Jin, Magnetization hysteresis loops of the granular high-T_c superconductors in the AC measurements, **279**, 233
Jiang, F., see Wong-Ng, W., **279**, 31
Jin, X., see Ji, Z.M., **279**, 233
Jorgensen, J.D., see Chmaissem, O., **279**, 1

Kaufmann, H.J., see Dolgov, O.V., **279**, 113
Kazumata, Y., see Asaoka, H., **279**, 246
Kikuchi, M., see Muraoka, Y., **279**, 279
Kim, G.C. and Y.C. Kim, Magnetic field and temperature dependence of the intergranular activation energy in a polycrystalline $HgBa_2Ca_2Cu_3O_{8+\delta}$ superconductor, **279**, 122
Kim, G.C. and Y.C. Kim, Magnetic relaxations of the grain-aligned $Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_y$ superconductor, **279**, 51
Kim, Y.C., see Kim, G.C., **279**, 122
Kim, Y.C., see Kim, G.C., **279**, 51
Kimura, A., see Sugimoto, M., **279**, 225
Kishio, K., see Li, X.-G., **279**, 241
Kobayashi, N., see Muraoka, Y., **279**, 279
Kotaka, Y., see Li, X.-G., **279**, 241
Krupke, R., G. Ulmer, R. Schneider, M. Kurzmeier, G. Linker and J. Geerk, Superconducting, structural and surface properties of GdBaCuO thin films deposited by electron cyclotron resonance supported sputtering, **279**, 153
Kulikova, L.F., see Lokshin, K.A., **279**, 11
Kumar, D., see Yue, C.-F.J., **279**, 197
Kurzmeier, M., see Krupke, R., **279**, 153
Kusano, Y., see Fujiwara, M., **279**, 219
Kuzemskaya, I.G., see Lokshin, K.A., **279**, 11

Leenders, A., M. Ullrich and H.C. Freyhardt, Influence of thermal cycling on the mechanical properties of VGF melt-textured YBCO, **279**, 173
Le Grand, J.B., M.P. Bruijn, C. Patel, P.A.J. de Korte, S. Lemke, R. Gross and R.P. Huebener, Low temperature scanning electron microscope measurements on a Nb/Ta junction, **279**, 85
Le Lay, L., see Friend, C.M., **279**, 145
Lemke, S., see le Grand, J.B., **279**, 85
Li, H.C., see Ma, L.P., **279**, 79
Li, L., see Ma, L.P., **279**, 79
Li, S., Q.Y. Hu, H.K. Liu, S.X. Dou and W. Gao, The grain alignment of Bi2223, Bi2212 and Bi2223 + Bi2212 phases in mechanical deformation and annealing processes, **279**, 265
Li, X.-G., X. Sun, W. Wu, Q. Chen, L. Shi, Y. Zhang, Y. Kotaka and K. Kishio, Variations of normal state resistivity and Cu^{2+} localized spin moment in the single crystal $Bi_2Sr_2CaCu_2O_{8+x}$, **279**, 241
Li, X.-G., see Sun, X., **279**, 47
Lin, C.T., A.M. Niraimathi, Y. Yan, K. Peters, H. Bender, E. Schönherr and E. Gmelin, Erratum to "Single crystals of $Nd_{1+x}Ba_{2-x}Cu_{3-y}Ga_yO_{7-\delta}$ and their characterization" [Physica C 272 (1996) 285–296], **279**, 282
Linker, G., see Krupke, R., **279**, 153
Liu, H.K., see Li, S., **279**, 265
Liu, Y., see Lu, J., **279**, 209
Lokshin, K.A., I.G. Kuzemskaya, L.F. Kulikova, E.V. Antipov and E.S. Itskevich, High pressure synthesis of Hg-1234 and strongly-overdoped Hg-1223 phases, **279**, 11
Lu, J., X. Feng, L. Zhang and Y. Liu, Determination of the mixing potential V between the bipolaron and the itinerant electron and possible two-component interaction superconductivity based on a low $N(E_F)$ for doped fullerenes, **279**, 209

Ma, L.P., H.C. Li, R.L. Wang and L. Li, The nature of the relaxation of resistivity in high-T_c superconductors, **279**, 79
Marks, L.D., see Chmaissem, O., **279**, 1
Mathieu, P., see Vasseur, H., **279**, 103
Matsushita, Y., see Hasegawa, M., **279**, 280
Mele, R., see Gömöry, F., **279**, 39
Mimura, M., see Sugimoto, M., **279**, 225
Morin, D., see Gömöry, F., **279**, 39
Morioka, Y., see Muraoka, Y., **279**, 279
Muraoka, Y., N. Ohnishi, M. Nagoshi, Y. Morioka, M. Kikuchi, K. Hiraga, N. Kobayashi and Y. Syono, Erratum to "AgI-intercalation into $Bi_2Sr_2CaCu_2O_z$ compound" [Physica C 263 (1996) 193–196], **279**, 279

Nagoshi, M., see Muraoka, Y., **279**, 279
Nakamura, Y.O., see Sakai, K., **279**, 127
Nakanishi, M., see Fujiwara, M., **279**, 219
Nezir, S., see Gencer, A., **279**, 165
Niraimathi, A.M., see Lin, C.T., **279**, 282
Noda, K., see Asaoka, H., **279**, 246

Ohnishi, N., see Muraoka, Y., **279**, 279
Oosawa, Y., see Akimoto, J., **279**, 181

Pan, V.M., V.F. Solovjov and H.C. Freyhardt, Dimensional crossovers and related flux line-lattice states in $YBa_2Cu_3O_{7-\delta}$, **279**, 18
Pasquier, C., see Friemel, S., **279**, 203
Patel, C., see le Grand, J.B., **279**, 85
Peters, K., see Lin, C.T., **279**, 282
Plaçais, B., see Vasseur, H., **279**, 103

Qiu, L., see Ren, C., **279**, 258

Rajasekharan, T., see Sudhakar Reddy, E., **279**, 56
Ren, C., S.Y. Ding, L. Qiu, Y. Ge, X.X. Yao, Y.X. Fu and C.B. Cai, The vortex liquid and its transition to a solid for $YBa_2Cu_3O_{7-x}$, **279**, 258
Roy, S.B. and P. Chaddah, Study of minor hysteresis loops in the usual and anomalous superconducting regime of $(Ce_{0.95}Nd_{0.05})Ru_2$: evidence of a first-order transition, **279**, 70

Sakai, K., Y. Yokoya and Y.O. Nakamura, Phase diagram of the pairing symmetry in two-dimensional strong-coupling superconductors, **279**, 127
Sali, S., see Friend, C.M., **279**, 145
Salje, E.K.H., see Dolgov, O.V., **279**, 113
Schneider, R., see Krupke, R., **279**, 153
Schönherr, E., see Lin, C.T., **279**, 282
Shi, L., see Li, X.-G., **279**, 241
Simon, Y., see Vasseur, H., **279**, 103
Singh, R.K., see Yue, C.-F.J., **279**, 197
Solovjov, V.F., see Pan, V.M., **279**, 18
Soylu, B., see Yan, Y., **279**, 277
Stobbs, W.M., see Yan, Y., **279**, 277
Storey, B.G., see Chmaissem, O., **279**, 1
Sudhakar Reddy, E. and T. Rajasekharan, Nucleation and growth of the orthorhombic phase in melt textured $YBa_2Cu_3O_{6+\delta}$, **279**, 56
Sugimoto, M., A. Kimura, M. Mimura, Y. Tanaka, H. Ishii, S. Honjo and Y. Iwata, Electromagnetic interfilament coupling of silver-sheathed Bi-2223 multifilamentary tapes in transverse AC magnetic fields, **279**, 225
Sun, A.M., see Ji, Z.M., **279**, 233
Sun, X., W. Wu, X. Zhao, L. Zheng, G. Zhou, X.-G. Li and Y. Zhang, Phase decomposition and oxygen diffusion of $Bi_2Sr_2CaCu_2O_y$ single crystals annealed in various atmospheres, **279**, 47
Sun, X., see Li, X.-G., **279**, 241
Sunandana, C.S., see Suvarna, A.M., **279**, 253
Suvarna, A.M. and C.S. Sunandana, Estimation of magnetic penetration depth in Li-doped polycrystalline Bi-2212 an ESR study, **279**, 253
Syono, Y., see Muraoka, Y., **279**, 279

Takada, J., see Fujiwara, M., **279**, 219
Takeda, Y., see Fujiwara, M., **279**, 219
Takei, H., see Asaoka, H., **279**, 246
Takei, H., see Hasegawa, M., **279**, 280
Tanaka, Y., see Sugimoto, M., **279**, 225
Tokiwa, K., see Akimoto, J., **279**, 181
Ullrich, M., see Leenders, A., **279**, 173
Ulmer, G., see Krupke, R., **279**, 153
Urba, L., C. Acha and V. Bekeris, Dissipation mechanisms in granular high T_c superconductors, **279**, 95

Vasseur, H., P. Mathieu, B. Plaçais and Y. Simon, Observation of the ideal low-frequency response of the mixed state and the diamagnetism of a type II superconductor, **279**, 103

Wang, R.L., see Ma, L.P., **279**, 79
Wong-Ng, W., L.P. Cook, W. Greenwood and F. Jiang, Subsolidus and melting phase relationships of the PbO_x–CaO–CuO system in air, **279**, 31
Wu, W., see Li, X.-G., **279**, 241
Wu, W., see Sun, X., **279**, 47

Yagil, Y., see Dolgov, O.V., **279**, 113
Yan, Y., J.E. Evetts, B. Soylu and W.M. Stobbs, Erratum to "The origins of high values of the critical current density in the $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ system: high-T_c superconducting pathways at low angle tilt boundaries" [Physica C 261 (1996) 56–64], **279**, 277
Yan, Y., see Lin, C.T., **279**, 282
Yang, S.Z., see Ji, Z.M., **279**, 233
Yanmaz, E., see Gencer, A., **279**, 165
Yao, X.X., see Ren, C., **279**, 258
Yokoya, Y., see Sakai, K., **279**, 127
Yu, H.X., see Ji, Z.M., **279**, 233
Yue, C.-F.J., D. Kumar and R.K. Singh, Fabrication of Ag-sheathed $Bi_2Sr_2CaCu_2O_x$ tapes using a modified electrophoretic deposition method, **279**, 197

Zhang, H., see Chmaissem, O., **279**, 1
Zhang, L., see Lu, J., **279**, 209
Zhang, Y., see Li, X.-G., **279**, 241
Zhang, Y., see Sun, X., **279**, 47
Zhao, X., see Sun, X., **279**, 47
Zheng, L., see Sun, X., **279**, 47
Zhou, G., see Sun, X., **279**, 47

ELSEVIER

Physica C 279 (1997) 286–287

PHYSICA C

Analytic Subject Index to Volume 279

AC loss
–of (Bi,Pb)-2223 tapes 145
AC losses
–in Bi-2223 tapes 225
–in BiSrCaCuO-2223/Ag tapes 39
AC susceptibility 103
–of BiSrCaCuO-2223/Ag tapes 39
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 122
–of $YBa_2Cu_3O_{7-\delta}$ 165
AC-susceptibility
–of $Hg_{1-x}Cr_xBa_2CuO_{4+\delta}$ 1
–of $Bi_2Sr_2CaCu_2O_y$ single crystal 47
–of $YBa_2Cu_3O_{6.4}$ 233
–of $YBa_2Cu_3O_{7-x}$ 258
Activation energy
–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 122
Anderson lattice 209
Annealing
–of $Bi_2Sr_2CaCu_2O_y$ single crystal 47
Applications of high-T_c superconductors 145

Band-filling 127
Beam model 233
Bipolaronic superconductivity 209

Collective flux creep model 95
Collective pinning model 51
Critical current density
–in κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ 203
–in BSCCO system 265
–in $YBa_2Cu_3O_x$ single crystals 246
–in $YBa_2Cu_3O_{7-\delta}$ 165
–of $Bi_2Sr_2CaCu_2O_x$ tapes 197
Cu-O chains
–in $YBa_2Cu_3O_{7-\delta}$ 63

Defect structures
–in GdBaCuO thin films 153
–in $YBa_2Cu_3O_{7-\delta}$ 63
Dimensional crossovers
–in $YBa_2Cu_3O_{7-\delta}$ 18

ECR sputter-deposition
–of GdBaCuO thin films 153
ESR
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 241
–of $Bi_2Sr_2CaCu_{2-x}Li_xO_{8+\delta}$ 253
Effective activation energy
–in $Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_y$ 51
Electrical resistivity
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 241
Electrochemical method 219
Electromagnetic interfilament coupling
–of Bi-2223 tapes 225
Electron microscopy
–on a Nb/Ta-junction 85
Electron phonon coupling
–in $La_{2-x}Sr_xCuO_4$ 113
Electron spin resonance
–in $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 241
Electronic structure 209

Flux bundle 51
Flux creep 79
Flux flow 103
Flux line lattice states
–in $YBa_2Cu_3O_{7-\delta}$ 18
Flux pinning
–in κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ 203
–in $YBa_2Cu_3O_x$ single crystals 246
–in $YBa_2Cu_3O_{7-\delta}$ single crystal 18
Flux relaxation 79
Flux-line lattice
–in $La_{2-x}Sr_xCuO_{4-y}Cl_y$ 95

Grain alignment
–in BSCCO system 265

High pressure synthesis
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 11
–of $HgBa_2Ca_3Cu_4O_x$ 11

I-V characteristics
–of $La_{2-x}Sr_xCuO_{4-y}Cl_y$ 95
IV-characteristics
–of κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ 203

Lattice parameter
–of $Li_yBi_2Sr_{1.5}Ca_{1.5}Cu_2O_z$ 219
Lithium intercalation 219
Localized spin moment
–in $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 241
Lower critical field H_{c1} 103

Magnetic penetration depth
–in $Bi_2Sr_2CaCu_{2-x}Li_xO_{8+\delta}$ 253
Magnetic relaxation
–in $Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_y$ 51
Magnetization 103
–of $(Ce_{0.95}Nd_{0.05})Ru_2$ 70
–of Bi-2223 tapes 225
–of $YBa_2Cu_3O_{6.4}$ 233
Magnetoresistance
–of $La_{2-x}Sr_xCuO_{4-y}Cl_y$ 95
Mechanical deformation
–of BSCCO system 265
Mechanical properties
–of $Bi_2Sr_2CaCu_2O_x$ tapes 197
–of $Y_1Ba_2Cu_3O_{7-x}$ 173
Melting reactions
–of PbO_x-CaO-CuO 31
Microstructure
–of $YBa_2Cu_3O_{7-\delta}$ 165
Minor hysteresis loop
–of $(Ce_{0.95}Nd_{0.05})Ru_2$ 70
Mixed interaction of *s*- and *d*-wave 127
Mixed state 103, 203
Multi-component model 113
Multifilamentary high T_c tapes 39

Nucleation of orthorhombic
–in $YBa_2Cu_3O_{6+\delta}$ 56

O-T transition 56
Organic superconductor 203
Oxidation process
–in $YBa_2Cu_3O_{6+\delta}$ 56
Oxygen stoichiometry
–in $Bi_2Sr_2CaCu_2O_y$ single crystal 47
–in $CuBa_2Ca_{n-1}Cu_nO_y$ 181
–in $Hg_{1-x}Cr_xBa_2CuO_{4+\delta}$ 1

–in $HgBa_2Ca_2Cu_3O_{8+\delta}$ 11
–in $HgBa_2Ca_3Cu_4O_x$ 11
–in $Li_yBi_2Sr_{1.5}Ca_{1.5}Cu_2O_z$ 219
–in $YBa_2Cu_3O_{7-\delta}$ 63

Pairing symmetry 127
Phase diagram
–of GdBaCuO 153
–of PbO_x-CaO-CuO 31
Phonon spectrum
–of $YBa_2Cu_3O_{7-\delta}$ 63
Polarons
–in $La_{2-x}Sr_xCuO_4$ 113

Raman scattering
–on $YBa_2Cu_3O_{7-\delta}$ 63
Relaxation of resistivity 79

Single-crystal growth
–of $YBa_2Cu_3O_x$ 246
Structure
–of $CuBa_2Ca_{n-1}Cu_nO_y$ 181
–of $Hg_{1-x}Cr_xBa_2CuO_{4+\delta}$ 1
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 11
–of $HgBa_2Ca_3Cu_4O_x$ 11
Superconductivity in overdoped region 11
Synthesis
–of Ag-$Bi_2Sr_2CaCu_2O_x$ tapes 197
–of $CuBa_2Ca_{n-1}Cu_nO_y$ 181
–of $Hg_{1-x}Cr_xBa_2CuO_{4+\delta}$ 1
–of $YBa_2Cu_3O_{7-\delta}$ 165

Thermal cycling
–of $Y_1Ba_2Cu_3O_{7-x}$ 173

Tunnel current
–in a Nb/Ta-junction 85
Twins
–in $YBa_2Cu_3O_{6+\delta}$ 56
Two-dimensional strong-coupling superconductor 127

Vortex liquid
–in $YBa_2Cu_3O_{7-x}$ 258
Vortex phase diagram
–for $YBa_2Cu_3O_{7-x}$ 258
Vortex solid
–in $YBa_2Cu_3O_{7-x}$ 258

X-ray diffraction
–of $Bi_2Sr_2CaCu_2O_y$ single crystal 47

ELSEVIER

Physica C 279 (1997) 288

PHYSICA C

Materials Index to Volume 279

$Ag\text{-}Bi_2Sr_2CaCu_2O_x$ tapes
–synthesis 197

$\kappa\text{-}(BEDT\text{-}TTF)_2Cu(NCS)_2$
–critical current density 203
–flux pinning 203
–iV-characteristics 203
(Bi,Pb)-2223 tapes
–ac loss 145
Bi-2223 tapes
–ac losses 225
–electromagnetic interfilament coupling 225
–magnetization 225
$Bi_2Sr_2CaCu_2O_x$ tapes
–critical current density 197
–mechanical properties 197
$Bi_2Sr_2CaCu_2O_y$ single crystal
–ac-suceptibility 47
–annealing 47
–oxygen stoichiometry 47
–x-ray diffraction 47
$Bi_2Sr_2CaCu_2O_{8+x}$ single crystals
–eSR 241
–electrical resistivity 241
–electron spin resonance 241
–localized spin moment 241
$Bi_2Sr_2CaCu_{2-x}Li_xO_{8+\delta}$
–eSR 253
–magnetic penetration depth 253
BiSrCaCuO-2223/Ag tapes
–ac losses 39
–ac susceptibility 39
BSCCO system
–critical current density 265
–grain alignment 265
–mechanical deformation 265

$(Ce_{0.95}Nd_{0.05})Ru_2$
–magnetization 70
–minor hysteresis loop 70
$CuBa_2Ca_{n-1}Cu_nO_y$
–oxygen stoichiometry 181
–structure 181
–synthesis 181

GdBaCuO thin films
–defect structures 153
–eCR sputter-deposition 153
GdBaCuO
–phase diagram 153

$Hg_{1-x}Cr_xBa_2CuO_{4+\delta}$
–ac-susceptibility 1
–oxygen stoichiometry 1
–structure 1
–synthesis 1
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–ac susceptibility 122
–activation energy 122
–high pressure synthesis 11
–oxygen stoichiometry 11
–structure 11
$HgBa_2Ca_3Cu_4O_x$
–high pressure synthesis 11
–oxygen stoichiometry 11
–structure 11

$La_{2-x}Sr_xCuO_4$
–electron phonon coupling 113
–polarons 113
$La_{2-x}Sr_xCuO_{4-y}Cl_y$
–flux-line lattice 95
–I-V characteristics 95
–magnetoresistance 95
$Li_yBi_2Sr_{1.5}Ca_{1.5}Cu_2O_z$
–lattice parameter 219
–oxygen stoichiometry 219

a Nb/Ta-junction
–electron microscopy 85
–tunnel current 85

PbO_x-CaO-CuO
–melting reactions 31
–phase diagram 31

$Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_y$
–effective activation energy 51
–magnetic relaxation 51

$Y_1Ba_2Cu_3O_{7-x}$
–mechanical properties 173
–thermal cycling 173
$YBa_2Cu_3O_x$ single crystals
–critical current density 246
–flux pinning 246
$YBa_2Cu_3O_x$
–single-crystal growth 246
$YBa_2Cu_3O_{6+\delta}$
–nucleation of orthorhombic 56
–oxidation process 56
–twins 56
$YBa_2Cu_3O_{6.4}$
–ac-susceptibility 233
–magnetization 233
$YBa_2Cu_3O_{7-\delta}$ single crystal
–flux pinning 18
$YBa_2Cu_3O_{7-\delta}$
–ac susceptibility 165
–critical current density 165
–cu-O chains 63
–defect structures 63
–dimensional crossovers 18
–flux line lattice states 18
–microstructure 165
–oxygen stoichiometry 63
–phonon spectrum 63
–raman scattering 63
–synthesis 165
$YBa_2Cu_3O_{7-x}$
–ac-susceptibility 258
–vortex liquid 258
–vortex solid 258
–vortex phase diagram 258